



## DECORATIVE INSULATED EXTERIOR WALL PANELS.

16" Wide, 16 Mm Thick And Length Varies Up To 20 'long.

### Core Material:

1. Outer Exposed Surface: High Strength Aluminum Zinc steel plate.
2. High Weather resistance Polyester paint on Exterior Aluminum Zinc Metal panel, Non Fading colors for long life.
3. Middle Core: Flame Retardant, high density Polyurethane Hard foam.
4. Interior side Surface: Reflective moisture-proof aluminum foil.

### Wooden Texture Finish



HSR-001



HSR-002



HSR-003



HSR-004

+91-8826126536

hsromainfrastructure@gmail.com

191-B, Arjun Nagar, Safdarjung Enclave,  
Delhi, India - 110029

**CONTACT US NOW**







## DECORATIVE INSULATED EXTERIOR FACADE PANELS

16" Wide, 16 Mm Thick And Length Varies Up To 20 'long.

### Advantages of using precoated, insulated metallic panels :

- Vibrant & long lasting Polyester paint.
- Unique Textured surface not available in alternative material
- Sound & Thermal insulation Property of this material: Provide an energy-saving Silent work area.
- 🔥 Non Flammable/Flame Retardant.
- Lightweight Material for fast & easy installation.
- Reduced dead load on building.
- \*Cost effective Solution with Multifold advantage.

### Exterior Facade Panels



+91-8826126536

hsromainfrastructure@gmail.com

191-B, Arjun Nagar, Safdarjung Enclave,  
Delhi, India - 110029

**CONTACT US NOW**

This panels are ideal for all types of commercial and industrial buildings including LGSF Structure Wall Houses. High rise building Walls and Pre Fab Wooden Houses Walls. Climate considerations include temperature and humidity.



**LGSF Structure  
Exterior Wall Houses**



**High rise  
building Exterior Walls**



**Pre Fab Wooden  
Exterior Walls Houses**



**Pre Fab Wooden  
Exterior Walls Houses**

**CONTACT US NOW**

+91-8826126536

hsromainfrastructure@gmail.com

191-B, Arjun Nagar, Safdarjung Enclave,  
Delhi, India - 110029